



# KOCHTREAT® 75

## 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier **KOCHTREAT® 75**  
General Use Antiscalant

### MANUFACTURER/IMPORTER/SUPPLIER/DISTRIBUTOR INFORMATION

Company Name John R Hess & Company, Inc.  
Address 400 Station St  
Cranston, RI 02910  
USA  
Telephone (401) 785-9300 (800) 556-4377  
E-mail [custerv@jrhess.com](mailto:custerv@jrhess.com)  
Emergency Phone Numbers Chemtrec 1-800-424-9300 (Spill, Leak, Fire, Exposure, Accident)  
+1 (703) 527-3887 (outside USA)

## 2 HAZARDS IDENTIFICATION

### CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

Eye Irritation Category 2B

Label elements

Pictogram



Signal Word: Warning

### HAZARD STATEMENTS

H319 - Causes serious eye irritation.

**PRECAUTIONARY STATEMENTS**

P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 - If eye irritation persists: Get medical advice/ attention.

**OTHER HAZARDS**

May be irritating to the skin and respiratory tract

\*\*See "toxicological information" (section 11) for more information

**FLAMMABILITY HAZARDS NON-COMBUSTIBLE****REACTIVITY HAZARDS STABLE****POTENTIAL HEALTH EFFECTS, SKIN**

MAY BE IRRITATING. Repeated or prolonged skin contact may cause reddening, itching and inflammation.

**POTENTIAL HEALTH EFFECTS, EYE**

SEVERELY IRRITATING. Contact may cause pain and severe reddening and inflammation of the conjunctiva.

**POTENTIAL HEALTH EFFECTS, INHALATION**

Breathing of the mists, vapors or fumes may irritate the nose, throat and lungs. Symptoms may include sore throat, coughing, labored breathing, sneezing and burning sensation, depending on the concentration and duration of exposure.

Overexposure to this material may cause systemic damage including target organ effects listed under "Toxicological Information" (Section 11).

Other specific symptoms of exposure are listed under "Toxicological Information" (Section 11).

**POTENTIAL HEALTH EFFECTS, INGESTION**

May cause irritation of the mouth, throat and gastrointestinal tract. Symptoms may include salivation, pain, nausea, vomiting and diarrhea.

Aspiration into lungs may cause chemical pneumonia and lung damage.

**3 COMPOSITION I INFORMATION ON INGREDIENTS**

Ingredient Name	CAS Number	Concentration*	Exposure Limits I Health Hazards
PHOSPHONIC ACID, (1-HYDROXYETHYLIDENE)BIS-	2809-21-4	7 - 13 %	ND

\*Values do not reflect absolute minimums and maximums; these values are typical which may vary from time to time.

WHMIS Classification: D2B

## 4 FIRST AID MEASURES

### SKIN

Immediately flush skin with plenty of water, for at least 15 minutes, while removing contaminated clothing and shoes. GET IMMEDIATE MEDICAL ATTENTION.

Place contaminated clothing in closed container for storage until laundered or discarded. If clothing is to be laundered, inform person performing operation of contaminant's hazardous properties. Discard contaminated leather goods.

### EYE

Flush immediately with large amounts of water for at least 15 minutes. Eyelids should be held away from the eyeball to ensure thorough rinsing. GET IMMEDIATE MEDICAL ATTENTION.

### INHALATION

Remove to fresh air. If not breathing, institute rescue breathing. If breathing is difficult, ensure airway is clear and give oxygen.

Keep affected person warm and at rest. GET IMMEDIATE MEDICAL ATTENTION.

### INGESTION

Keep affected person warm and at rest. GET IMMEDIATE MEDICAL ATTENTION.

Never give anything by mouth to an unconscious person. Do not induce vomiting because of danger of aspirating liquid into lungs, causing serious damage and chemical pneumonitis.

Have victim rinse mouth thoroughly with water, then drink 2 to 8 oz. (60 to 240 ml) of water. If vomiting occurs naturally, have the victim lean forward to reduce risk of aspiration. Repeat administration of water. Quickly transport to emergency care facility.

## 5 FIRE FIGHTING MEASURES

### HAZARDOUS COMBUSTION PRODUCTS

Combustion may produce COx, POx, phosphine.

### EXTINGUISHING MEDIA

Material itself will not burn.

### BASIC FIRE FIGHTING PROCEDURES

Evacuate area and fight fire from a safe distance.

Use extinguishing agent suitable for type of surrounding fire. Use water spray to cool adjacent structures and to protect personnel. Shut off source of flow if possible.

Firefighters must wear MSHAINIOSH approved positive pressure breathing apparatus (SCBA) with full face mask and full protective equipment.

### UNUSUAL FIRE & EXPLOSION HAZARDS

None known.

Flash Point	WILL NOT FLASH
Autoignition Temperature	ND
Flammability Limits in Air, Lower, % by Volume	ND
Flammability Limits in Air, Upper, % by Volume	ND

## 6 ACCIDENTAL RELEASE MEASURES

### EMERGENCY ACTION

Keep unnecessary people away. Isolate spill area and keep unnecessary people away.

### ENVIRONMENTAL PRECAUTIONS

If product is released to the environment, take immediate steps to stop and contain release. Caution should be exercised regarding personnel safety and exposure to the released product. Notify local, provincial and/or federal authorities, if required.

### SPILL OR LEAK PROCEDURE

Large spills may be neutralized with dilute alkaline solutions of soda ash or lime. Stop leak when safe to do so.

Do not touch or walk through spilled material.

See Exposure Controls/Personal Protection (Section 8).

## 7 HANDLING & STORAGE

### HANDLING

This material should be stored and shipped in plastic or plastic lined containers. Do not use with materials or equipment sensitive to acidic solutions.

Do not eat, drink or smoke in areas of use or storage.

### STORAGE

Avoid contact with strong oxidizers, bases, and metals. Store in tightly closed containers in cool, dry area away from heat and incompatibles.

Empty containers may contain product residue. Do not reuse without adequate precautions.

## 8 EXPOSURE CONTROLS | PERSONAL PROTECTION

### ENGINEERING CONTROLS

General or local exhaust ventilation and other forms of engineering controls are the preferred means for controlling exposures.

### EYE PROTECTION: PERSONAL PROTECTION EQUIPMENT (PPE)

Wear chemical safety goggles to prevent eye contact. Have eye washing facilities readily available where eye contact can occur.

### SKIN PROTECTION: PERSONAL PROTECTION EQUIPMENT (PPE)

Avoid skin contact with this material. If skin contact is anticipated, protective clothing, including impervious gloves, should be worn. Protective glove materials include, but are not limited to natural rubber, neoprene or nitrile.

Additional protection may be necessary to prevent skin contact including use of apron, arm covers, face shield, or boots. Provide safety showers at any location where skin contact can occur.

Use good personal hygiene.

### RESPIRATORY PROTECTION: PERSONAL PROTECTION EQUIPMENT (PPE)

A NIOSH/MSHA approved air purifying respirator with an acid vapor cartridge or canister may be appropriate under certain circumstances where airborne concentrations are expected to exceed exposure limits. Protection

provided by air purifying respirators is limited. Use a positive pressure air supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air purifying respirators may not provide adequate protection.

## 9 PHYSICAL & CHEMICAL PROPERTIES

### ODOR AND APPEARANCE

CLEAR, COLORLESS LIQUID WITH AN SLIGHT ODOR

Boiling Point	212 °F (100 °C)
Specific Gravity	1.1 - 1.2
Melting Point	ND
Percent Volatile	> 80
Vapor Pressure	17 mm Hg @ 20° C (68° F)
Vapor Density	ND
Bulk Density	8.8 - 9.8 LBS/GAL
Solubility in Water	100 %
Octanol/Water Partn	ND
Volatile Organic	NA
Pour Point	NA
pH Value	4 - 5
Freezing Point	ND
Viscosity	64
Evaporation Rate	ND
Molecular Formula	NA
Molecular Weight	ND
Chemical Family	ORGANIC PHOSPHONATES
Odor Threshold	ND

## 10 STABILITY & REACTIVITY

### STABILITY/INCOMPATIBILITY

Incompatible with bases, and oxidizers. Avoid contact with metals. See precautions under Handling & Storage (Section 7).

### HAZARDOUS REACTIONS/DECOMPOSITION PRODUCTS

Combustion may produce COx, POx, phosphine, acid fumes.

## 11 TOXICOLOGICAL INFORMATION

### ROUTES OF EXPOSURE

Inhalation, ingestion, skin and eye contact.

### LD50

LD50: Skin (rabbit) > 7940 mg/kg

LD50: Oral (rat) > 2,000 mg/kg

### TOXICOLOGICAL DATA

Acute or chronic overexposure to this material or its components may cause systemic toxicity, including adverse effects to the following: skin, eye, teeth, blood and respiratory system.

Exposure to components of this material may cause the following specific symptoms, depending on the concentration and duration of exposure: chronic obstructive pulmonary disease, erosion of teeth and chest pains. Other symptoms of exposure may include the following: cardiovascular collapse, acidosis, bloody diarrhea, bloody vomit and shock.

**PRE-EXISTING CONDITIONS AGGRAVATED BY EXPOSURE**

Pre-existing medical conditions which may be aggravated by exposure include disorders of the skin, eye respiratory and cardiovascular systems.

**12 ECOLOGICAL INFORMATION****ECOTOXICOLOGICAL INFORMATION**

Not toxic to aquatic organisms and not suspected of long-term adverse effects in the aquatic environment.

**13 DISPOSAL CONSIDERATIONS****WASTE DISPOSAL**

This product, in its present state, when discarded or disposed of, is not a hazardous waste according to Federal regulations (40 CFR 261).

The transportation, storage, treatment and disposal of RCRA waste material must be conducted in compliance with 40 CFR 262, 263, 264, 268 and 270. Disposal can occur only in properly permitted facilities. Check state and local regulations for any additional requirements as these may be more restrictive than federal laws and regulations. Chemical additions, processing or otherwise altering this material may make the waste management information presented in this SDS incomplete, inaccurate or otherwise inappropriate. Disposal of this material must be conducted in compliance with all federal, state and local regulations.

In Canada, wastes should be disposed of according to federal, state, provincial and local regulations.

**14 TRANSPORT INFORMATION****BILL OF LADING - BULK (U. S. DOT)**

Non-Regulated

**BILL OF LADING - NON-BULK (U. S. DOT)**

Non-Regulated

The above description may not cover shipping in all cases, please consult 49 CFR 172.101 for specific shipping information.

**15 REGULATORY INFORMATION****FEDERAL REGULATIONS**

All components of this product are listed on the TSCA Inventory.

This product, as supplied, contains no hazardous substances regulated under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302), or any extremely hazardous substances regulated under the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355), and thus a release of this product as supplied has no reporting requirements under these regulations.

Check state and local regulations for any additional requirements as these may be more restrictive than federal laws and regulations. Failure to report may result in substantial civil and criminal penalties.

This product does not contain toxic chemicals (in excess of the applicable de minimis concentration) that are subject to the annual toxic chemical release reporting requirements of the Superfund Amendments and Reauthorization Act (SARA) Section 313 (40 CFR 372).

There may be specific regulations at the local, regional or state/provincial level that pertain to this product.

**SARA TITLE III RATINGS**

Immediate Hazard: X Delayed Hazard: X Fire Hazard: - Pressure Hazard: -  
 Reactivity Hazard: -

**STATE REGULATIONS**

Based on available information this product does not contain any components or chemicals currently known to the State of California to cause cancer, birth defects or reproductive harm at levels which would be subject to Proposition 65. Reformulation, use or processing of this product may affect its composition and require re-evaluation.

PENNSYLVANIA - Non-hazardous ingredients present at >3%: Water, CAS# 7732-18-5.

**INTERNATIONAL REGULATIONS****CANADA**

All known major components of this product are listed on the Canadian DSL.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and this SDS contains all the information required by the CPR.

WHMIS Classification: D2B

**WHMIS RATINGS**


Compressed	Flammable/Combustible	-Oxidizer	- Acutely Toxic
Other Toxic Effects	Bio Hazardous	-Corrosive	- Dangerously Reactive

**16 OTHER INFORMATION****HAZARDOUS MATERIAL INFORMATION SYSTEM (U.S.A.)**

<b>Health</b>	*	2
<b>Flammability</b>		0
<b>Physical hazards</b>		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

**NATIONAL FIRE PROTECTION ASSOCIATION (U.S.A.)**

Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Prepared By: HSE Department  
Issue Date: 06/10/2017  
Version: 2  
Precedes: 09/25/2015

**DISCLAIMER:**

Although the information and recommendations set forth herein (hereinafter "Information") are presented in good faith and believed to be correct as of the date hereof, John R. Hess & Company, Inc. makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event, will John R. Hess & Company, Inc. be responsible for damages of any nature whatsoever resulting from the use of or reliance upon Information. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH INFORMATION REFERS.

KOCHTREAT is a registered trademark of Koch Membrane Systems, Inc. in the United States and may be registered in other jurisdictions.